Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1189	719/313-314.ccls. or 719/310.ccls.	US-PGPUB; USPAT	OR	ON	2004/12/05 13:42
L2	9771	709/206.ccls. or 709/246.ccls. or 715/513.ccls. or 707/6.ccls. or 707/104.1.ccls.	US-PGPUB; USPAT	OR	ON	2004/12/05 13:43
L3	442	717/143.ccls. or 717/114.ccls.	US-PGPUB; USPAT	OR	ON	2004/12/05 13:43
L4	11284	1 or 2 or 3	US-PGPUB; USPAT	OR	ON	2004/12/05 13:44
L5	209	message with pars\$ with (handle or location or offset or index)	US-PGPUB; USPAT	OR	ON	2004/12/05 13:45
L6	33	4 and 5	US-PGPUB; USPAT	OR	ON	2004/12/05 13:44
L7	226	message with pars\$ with (handle or location or offset or index or pointer)	US-PGPUB; USPAT	OR	ON	2004/12/05 14:03
L8	36	4 and 7	US-PGPUB; USPAT	OR	ON	2004/12/05 13:46
L9 .	11'.	message with pars\$ with (handle or location or offset or index or pointer)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/05 14:03
S1	1	("20020083210").PN.	US-PGPUB; USPAT	OR	OFF	2004/12/02 12:12
S2	1	("5887139").PN.	US-PGPUB; USPAT	OR	OFF	2004/12/01 16:59
S3	0	message with pars\$3 with pattern with format	US-PGPUB; USPAT	OR	ON	2004/12/02 12:13
S4	430	message with pars\$3 with (pattern or format)	US-PGPUB; USPAT	OR	ON	2004/12/02 15:10
S5	52	message with pars\$3 with (pattern or format) same stored	US-PGPUB; USPAT	OR	ON	2004/12/02 13:10
S6	16	message with pars\$3 with (pattern or format) same stored same type	US-PGPUB; USPAT	OR	ON	2004/12/02 12:16
S7	0	(message with (pattern or format)) and Getty\$.in.	US-PGPUB; USPAT	OR	ON	2004/12/02 12:17
S8	0	(message same (pattern or format)) and Getty\$.in.	US-PGPUB; USPAT	OR	ON	2004/12/02 12:19
S9	4	(message same (pattern or format)) and Gett\$.in.	US-PGPUB; USPAT	OR	ON	2004/12/02 12:20
S10	3	(message same (pattern or format)) and Gere\$.in.	US-PGPUB; USPAT	OR	ON	2004/12/02 12:20
S11	5	("4530051" "4566078" "4823304" "4914583" "4951192").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/02 12:22

S12	37	("5212792").URPN.	USPAT	OR	ON	2004/12/02 12:34
S14	25	("4709328" "4774661" "4791558" "5036484" "5058000" "5179660" "5187787" "5212792" "5235701" "5261079" "5339434" "5361344" "5406557" "5414762" "5423022" "5437024" "5572711" "5594792" "5627997" "5634053" "5758125" "5761494" "5761656" "5914713" "6052685").PN. ("4994998" "5291583" "5579521" "5638066"	US-PGPUB; USPAT; USOCR US-PGPUB; USPAT;	OR OR	ON ON	2004/12/02 12:38
S16	4	"5848415").PN. ("5668897" "5699522" "5802357" "6052693").PN.	USOCR US-PGPUB; USPAT; USOCR	OR	ON	2004/12/02 14:53
S17	7	(("6732153") or ("6134598") or ("6119079") or ("6092118") or ("6078820") or ("5632031") or ("4787035")).PN.	US-PGPUB; USPAT	OR	OFF	2004/12/02 14:54
S18	4	("5668897" "5699522" "5802357" "6052693").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/02 14:57
S19	. 4	("4787035" "4905138" "5006992" "5062147").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/02 15:08
S20	2	message with pars\$3 with format same (definition or specification) same (xml) same type	US-PGPUB; USPAT	OR	ON	2004/12/02 15:17
S21	82	message with pars\$3 same (definition or specification) same type	US-PGPUB; USPAT	OR	ON	2004/12/02 15:33
S22	. 17	message with pars\$3 same (definition or specification) same type same xml	US-PGPUB; USPAT	OR	ON	2004/12/02 15:18
S23	11	("5361353").URPN.	USPAT	OR	ON	2004/12/02 15:25
S24	1078	719/313.ccls. or 719/310.ccls.	US-PGPUB; USPAT	OR	ON	2004/12/02 15:33
S25	3	S21 and S24	US-PGPUB; USPAT	OR	ON	2004/12/02 15:33
S26	13	("5367681" "5404529" "5511199" "5522071" "5563878" "5590334" "5634127" "5710924" "5727214" "5734903" "5742848" "5758159" "6347342").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/02 15:36

	т						
S27		5	("4943932" "5067072" "5095522" "5187787" "5247650").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/02 15:46
S28		13	("5511199").URPN.	USPAT	OR	ON	2004/12/02 16:37
S29		0	MRM same message adj broker	USPAT	OR	ON	2004/12/02 16:37
S30	-	40	MRM same message	USPAT	OR	ON	2004/12/03 15:02
S31		1	("6507856").PN.	US-PGPUB; USPAT	OR	OFF	2004/12/03 15:02
S32		6	("5835712" "6108673" "6112242" "6125391" "6208986" "6216121").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 15:03
S33		31	first adj parser same second adj parser	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 15:11
S34	9 13	3	common adj message adj interface	US-PGPUB;	OR	ON	2004/12/03 15:12
	9 1			USPAT; USOCR			
S35		0	paser adj gateway	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 15:12
S36	11.4	181	parallel with parser	US-PGPUB;	□OR	ON	2004/12/03 15:13
1. g	45.	÷.		USPAT; USOCR			
S37		12	parallel adj parser	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 15:13
S38		5	("5325091" "5572206" "5608396" "5729228" "6037983").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 15:20
S39		272	message with pars\$ with protocol	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 15:21
S40		0	message with pars\$ with language with each	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 16:58
S41		162	message with pars\$ with language	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 16:27
S42		0	message with pars\$ with language same xml same C	US-PGPUB; USPAT;	OR	ON	2004/12/03 15:22
	× ×			USOCR		yrik.	
S43		14	message with pars\$ same xml same C	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 15:22
S44	3.	23	message with pars\$ with language	EPO; JPO;	OR	ON	2004/12/03 16:54
ē	. "			DERWENT; IBM_TDB		**** * *	

S45	1	("5241305").PN.	US-PGPUB; USPAT	OR	OFF	2004/12/03 16:35
S46	299	message with pars\$ withtag	EPO; JPO;	OR	ON	2004/12/03 16:54
			DERWENT; IBM_TDB			
S47	5	message with pars\$ with tag	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:57
S48	1970596	message with pars\$ with tag name	USPAT	OR	ON	2004/12/03 16:57
S49	5	message with pars\$ with tag with name	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 17:01
S50	6	message same (pars\$ with tag with name)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/03 17:02
S51	103	(pars\$ with tag with name)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/04 11:24
S52	3723	handle adj request	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/04 11:27
S53	0	"handle adj request"	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/04 11:24
S54	6	handle adj request same pars\$ adj request	US-PGPUB;	OR	ON	2004/12/04 11:25
)		USOCR		1.0	
S55	53	handle adj request with location	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/04 11:34
S56	2743	object adj oriented and locator	US-PGPUB;	OR	ON	2004/12/04 11:34
			USPAT; USOCR			
S57	8	(object adj oriented and locator).ti, ab.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/04 11:39
S58	194	client with server with handle with	US-PGPUB;	OR	ON	2004/12/04 11:56
	H. A.	return\$	USPAT; USOCR	4, 4-1		
S59	55	client with server with handle with return\$ same message	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/04 11:40
S60	0	client with server with handle with return\$ same message same pars\$	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/04 11:40
S61	39	data with handle with location with return\$	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/04 12:00

S62	357	data with cursor with return\$	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/04 12:00
S63	. 1	data with cursor adj request with return\$	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/04 12:23
S64	2	data with read adj cursor with request	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/04 12:04
S65	× 8	("4633467" "4823261" "4853843" "4912637" "5010560" "5151988" "5157667"	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/04 12:06
		"5202998").PN.	USOCK			
S66	139	name with location with handle	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/04 12:06
S67	6	name with location with handle with	US-PGPUB;	OR	ON	2004/12/04 12:07
	5	return\$	USPAT; USOCR			
S68	17	("20030005410" "20030028561" "5682158" "5724593" "5732270" "5758314" "5778213" "5784069" "5784071" "5787452" "5793381" "5832507" "5873111" "6204782" "6226675" "6408311" "6502112").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/04 12:17
S69	39	message with pars\$ with handle	US-PGPUB;	OR	OFF	2004/12/04 12:17
			USPAT; USOCR			
S70	997	data with (handle or cursor or location) adj request	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/04 12:24
S71	23695	"707"/\$.ccls.	US-PGPUB;	OR	ON .	2004/12/04 12:24
			USPAT; USOCR		1.70	
S72	112	S70 and S71	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/04 12:27
S73	18	data with field with (handle or	US-PGPUB;	OR	ON	2004/12/04 14:01
		cursor or location) adj request	USPAT; USOCR			
S74	5	("5202981" "5339388" "5446858" "5692178" "5706505").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/04 13:00
S75	1816	715/513.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/04 13:02
S76	4	S70 and S75	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/04 13:01

S77	166	715/513.ccls. and (pars\$ same location)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/04 13:03
S78	78	715/513.ccls. and (pars\$ with location)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/04 13:03
S79	28	715/513.ccls. and (pars\$ with location with (data or value or string))	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/04 13:25
S80	36	(message same pars\$ same (handle or location)).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/04 13:47
S81	4809	"719"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/04 13:27
S82	3	S80 and S81	US-PGPUB;	OR	ON	2004/12/04 13:28
			USPAT; USOCR			
S83	207	message adj repository	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/04 13:47
S84	6	message adj repository adj (server	US-PGPUB;	OR ***	ON	2004/12/04 13:48
- 8		or manager)	USPAT; USOCR			
S85	.35	message adj dictionary	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/04 13:49
S86	6.	("5457797" "5893904" "5937162" "5995947" "6012067" "6061681").PN.	US-PGPUB; USPAT; USOCR	OR	ON .	2004/12/04 13:52
S87	1	data with field with (handle or cursor or location) adj request	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/04 14:02
S88	1167	data with (handle or cursor or location) with request	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/04 14:02
S89	2	data with (handle or cursor or location) with request same pars\$	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/04 14:03
S90	72	data with (handle or cursor or location) same pars\$	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/04 14:10
S91	1	("5339421").PN.	US-PGPUB; USPAT	OR	OFF	2004/12/04 14:17
S92	. 1 /	S91 and location	US-PGPUB; USPAT	OR	ON.	2004/12/04 14:39
S93	1	("5376949").PN.	US-PGPUB; USPAT	OR	OFF	2004/12/04 14:42

S94 _.	1	("6636855").PN.	US-PGPUB; USPAT	OR	OFF	2004/12/04 14:45
S95	1	("6643682").PN.	US-PGPUB; USPAT	OR	OFF	2004/12/04 14:47
S96	70	database adj cursor	US-PGPUB; USPAT	OR	ON	2004/12/04 14:48
S97	1	database adj cursor with location	US-PGPUB; USPAT	OR	ON	2004/12/04 14:47
S98	1437	(handle or cursor or pointer) with location with (message or stream)	US-PGPUB; USPAT	OR	ON	2004/12/04 14:49
S99	52	(handle or cursor or pointer) with location with (message or stream) same pars\$	US-PGPUB; USPAT	OR	ON	2004/12/04 14:49

Search Results: "message W/5 parser"

Hits	Document	Modified	Locati n	
29	LNCS 0952 - Object	Protocols as Functional Parsers	05/27/2002 09:3	31:39
\\ws05324\A	rtCollection\ecoop\0558\p	papers\0952		
29		Protocols as Functional Parsers	05/27/2002 09:3	31:39
\\ws05324\A	rtCollection\ecoop\0558\p			
. 25	Chapter 1, File Object		05/08/1998 20:3	32:04
		ating Systems\Windows 95\SDK		
25	Chapter 1, File Object		05/08/1998 20:3	32·04 ·
		ating Systems\Windows 95\SDK	00,00,1000 20.0	32.01
15		essages and Recovery Procedures Re	eference Manual .	04/28/1998 21:09:02
		ppenVMS\SystemMangGuide	ororoo manaar	0-1/20/1000 21:00:02
15		essages and Recovery Procedures Re	eference Manual	04/28/1998 21:09:02
		ppenVMS\SystemMangGuide	Sicionoc Manaai	04/20/1930 21:03:02
11	Design for a New Un		10/22/1997 02:3	34.34
	rtCollection\ipc.tm\os\MA		10/22/199/ 02.3	04.24
11			10/22/4007 02:0	24.24
	Design for a New Un		10/22/1997 02:3	34:24
	rtCollection\ipc.tm\os\MA		04/00/4000 004	-7.04
11	OpenVMSUtility Rou		04/28/1998 20:	57:04
		ppenVMS\ProgrammerGuide	0.1/0.011.000.00	
11	OpenVMSUtility Rou	tines Manual	04/28/1998 20:5	57:04
_		ppenVMS\ProgrammerGuide		
9	p36-pittman.pdf	12/23/2003 20:35:12		ollection\acm\UIST\1990
9	p36-pittman.pdf	12/23/2003 20:35:12		ollection\acm\UIST\1990
7		Has Changed and Migration Guide	10/22/1997 02:3	34:26
	rtCollection\ipc.tm\os\MA			
7		Has Changed and Migration Guide	10/22/1997 02:3	34:26
\\ws05324\A	rtCollection\ipc.tm\os\MA			
6		fcs/rfc261 05/12/2001 13:16:16	\\ws05324\ArtC	ollection\StJohn\New files
6		fcs/rfc261 05/12/2001 13:16:16	\\ws05324\ArtC	ollection\StJohn\New files
6	Hypertext Transfer P		04/14/1998 13:5	
\\ws05324\A		buted Network Applications\WWW Ap	plications\Hypertex	t
6	Hypertext Transfer P		04/14/1998 13:	
\ws05324\A	rtCollection\StJohn\Distri	buted Network Applications\WWW Ap	plications\Hypertex	t
5	DEC OSF/1 - Refere	nce Pages Section 1 - User Command	ls, Volume 2	01/13/1998 03:25:34
\\ws05324\A	rtCollection\ipc.tm\DEC\u	inix\Programmer Guide 3.0\Reference	Pages	
5		nce Pages Section 1 - User Command		01/13/1998 03:25:34
\ws05324\A		inix\Programmer Guide 3.0\Reference		
5	JOOP Volume 6 Issu		_	ollection\sigs\JOOP\91 95
5	JOOP Volume 6 Issu	e 4 05/30/1997 23:06:38		ollection\sigs\JOOP\91_95
4	DEC OSF/1 - Refere	nce Pages Section 1 - User Command		01/13/1998 03:23:50
\\ws05324\A		nix\Programmer Guide 3.0\Reference		
4		nce Pages Section 1 - User Command		01/13/1998 03:23:50
\\ws05324\A		nix\Programmer Guide 3.0\Reference		· · · · · · · · · · · · · · · · · · ·
4	Hypertext Transfer P		04/14/1998 13:5	50:33
\\ws05324\A		buted Network Applications\WWW Ap		
4	Hypertext Transfer P		04/14/1998 13:5	
\\ws05324\A	rtCollection\St.lohn\Distri	buted Network Applications\WWW Ap	nlications\Hvnertev	t
4	Java 1.2 Unleashed	10/17/1999 23:45:14		ollection\Books\MCP\Java
4	Java 1.2 Unleashed	10/17/1999 23:45:14		ollection\Books\MCP\Java
4		lk: An Empirically and Aesthetically Mo		
05/27/2002 (
4		\\ws05324\ArtCollection\ed		
05/27/2002 (10.31.41	lk: An Empirically and Aesthetically Mo		
0312112002	JJ.J 1.4 I	\\ws05324\ArtCollection\ed	:oop\ossa\papers\0	1210